



Professional products for expert installers.

Nuvo Series Two, Four and Six wall and ceiling speakers are made for professionals like you whose reputation was built on installing only the highest quality products.

While each Series of speakers is manufactured with quality components and materials, there are unique differences in the internal components of each, including the resistors, inductors and capacitors that comprise the crossover network.

With each step up in the Series, the efficiency of the speakers increases by one to two decibels so listeners get more sound of out the Series Six compared to Series Two or Four. And, because the Series Two, Four and Six speakers are 8 ohm, any amplifier can drive them though they sound particularly crisp with high quality amplification like that used in Nuvo Player Portfolio multi-room audio products.



SERIESTWO

SERIESFOUR SERIESSIX





Series Two woofers are constructed with high-grade polymer for deep bass.





Series Four woofers are constructed with glass fiber for minimal distortion.





of Kevlar® and carbon fiber to handle the heaviest loads.



Series Two tweeters are made from silk for smoother highs.



Series Four tweeters are made from aluminum for brighter sound.




Series Six tweeters are made from titanium for ultimate performance.

SERIESTWO

The Series Two line of speakers is the ideal choice for those spaces where balanced, moderate sound levels are desired. Choose it for budget-conscious applications and whole-house audio systems. Your clients will be pleasantly surprised by the smooth, natural sound generated from the silk dome tweeters and polypropylene woofers.

Specifications

Power Handling	100w peak / 50w RMS
Efficiency	86dB
Resistance	8 ohm
Tweeter Construction	silk, pivoting
Woofer Construction	poly







NV-21C6 Series Two 6.5" In-Ceiling Speaker



NV-2IC6-ANG Series Two 6.5" In-Ceiling Angled Speaker



NV-2IC6-DVCSeries Two 6.5"
In-Ceiling Dual
Voice Coil Speaker



NV-21C8 Series Two 8" In-Ceiling Speaker



NV-21C8-ANG Series Two 8" In-Ceiling Angled Speaker



NV-21W6 Series Two 6.5" In-Wall Speaker




NV-2IW5-LCR Series Two 5.25" In-Wall LCR Speaker

SERIESFOUR

With remarkable clarity and dynamics, Series Four speakers offer enhanced sound quality delivered via aluminum tweeters and fiberglass woofers.

Specifications

Power Handling	150w peak / 75w RMS
Efficiency	88dB
Resistance	8 ohm
Tweeter Construction	aluminum, pivoting
Woofer Construction	glass fiber







NV-4IC6 Series Four 6.5" In-Ceiling Speaker



NV-4IC6-ANG Series Four 6.5" In-Ceiling Angled Speaker



NV-4IC6-DVCSeries Four 6.5" In-Ceiling Dual Voice Coil Speaker



NV-4IC8 Series Four 8" In-Ceiling Speaker



NV-4IC8-ANG Series Four 8" In-Ceiling Angled Speaker



NV-4IW6 Series Four 6.5" In-Wall Speaker



NV-41W5-LCR Series Four 5.25" In-Wall LCR Speaker

SERIESSIX

Equipped with top-of-theline components, the Series Six premium line offers the highest power handling and most extreme performance for vast spaces and home theater installations. Hightech titanium tweeters deliver smooth, lifelike vocals and crystal-clear highs, while carbon fiber, Keylar®-woven woofers ensure deep, tight bass. For added control. Series Six speakers are outfitted with tweeter level adjustment.

Specifications

Power Handling	200w peak / 100w RMS
Efficiency	89dB
Resistance	8 ohm
Tweeter Construction	titanium
Woofer Construction	carbon fiber and Kevlar®







NV-61C6 Series Six 6.5" In-Ceiling Speaker



NV-61C6-ANG Series Six 6.5" In-Ceiling Angled Speaker



NV-61C8 Series Six 8" In-Ceiling Speaker



NV-61C8-ANG Series Six 8" In-Ceiling Angled Speaker




NV-61W6 Series Six 6.5" In-Wall Speaker



NV-61W6-LCR Series Four 6.5" In-Wall LCR Speaker








Our attention to aesthetics makes you look good.

Our speaker's infinity edge makes gaps a thing of the past. The Series Two, Four and Six speakers are designed with no bezel so they virtually disappear into the ceiling or wall. And our all-metal grills, with removable scrim cloths, can be easily painted to seamlessly blend into any space's décor.







Recessed screws provide fast, damage-free installation.



High quality construction provides impeccable sound reproduction.

Ease of installation gets you off the job faster.


We understand that the faster you get on and off the job, the more profitable you can be. That's why we've designed our new Nuvo in-ceiling speakers with only three dog-leg clamps and recessed screws for fast, damage-free installation. Taking the smallest details to the extreme, the magnetic grill quickly snaps into place using durable neodymium magnets and each speaker's tweeter bridge doubles as a handle to make installation even easier.

Impeccable sound quality to satisfy even the most discriminating audiophile.

Let's face it. The sound quality your clients desire in their laundry room is much different than they need or demand in their living spaces. That's why we offer three levels of sound quality.

With options that make sense for you, each Series lets you design the best listening experience for each room. Choose from six and a half- or eight-inch speakers. Select straight-on or angled models designed with a 15-degree baffle that directs the sound with precision toward the seated positions of the listener. And, install them where it makes most sense -- in ceilings and/or walls.





When it comes to audio, there's no tougher critic than us.

A passion for impeccable sound. It's what compels our team of musicians and audio enthusiasts on their quest for perfection.

We're dedicated to bringing you the richest, most evenly distributed sound quality – all because we believe that stunning sound can transform a home – and those in it.

SERIESTWO

Impedance

8 Ohms

Sensitivity

86dB

Power

50w RMS / 100w Peak

Woofer Material

Poly

Tweeter Material



NV-2IC6

9.06" / 230mm 8.07" / 205mm 6.5" 0.5" 3.9" / 99mm 60Hz - 20KHz

Pair



NV-2IC6-ANG

9.06" / 230mm 8.07" / 205mm 6.5" 0.5" 4.57" / 116mm 60Hz - 20KHz Single



NV-2IC6-DVC

9.06" / 230mm 8.07" / 205mm 6.5" 0.5" 3.9" / 99mm 55Hz - 20KHz Single

SERIESFOUR

Impedance

8 Ohms

Sensitivity

88dB

Power

75w RMS / 150w Peak

Woofer Material

Glass Fiber

Tweeter Material

Aluminum

Overall Dimensions **Cutout Dimensions** Woofer Size Tweeter Size

Overall Dimensions

Cutout Dimensions

Woofer Size

Tweeter Size

Mounting Depth

Frequency Response Shipping

Mounting Depth Frequency Response

Overall Dimensions

Cutout Dimensions

Woofer Size

Tweeter Size

Shipping

Mounting Depth

Frequency Response

Shipping



NV-4IC6

9.06" / 230mm 8.07" / 205mm 6.5" 0.75" 3.94" / 100mm 55Hz - 20KHz

Pair



NV-4IC6-ANG

9.06" / 230mm 8.07" / 205mm 6.5" 0.75" 4.76" / 121mm 55Hz - 20KHz

Single



NV-4IC6-DVC

9.06" / 230mm 8.07" / 205mm 6.5" 0.75" 3.94" / 100mm 50Hz - 20KHz Single

SERIESSIX

Impedance

8 Ohms

Sensitivity

89dB

Power

100w RMS / 200w Peak

Woofer Material

Kevlar® / Carbon Fiber Weave

Tweeter Material

Titanium



NV-6IC6

9.06" / 230mm 8.07" / 205mm 6.5" 3.94" / 100mm 60Hz - 20KHz Pair



NV-6IC6-ANG

9.06" / 230mm 8.07" / 205mm 6.5" 4.76" / 121mm 60Hz - 20KHz Single



NV-2IC8 10.63" / 270mm 9.68" / 246mm 8" 0.5" 4.37" / 111mm 45Hz - 20KHz Pair



NV-2IC8-ANG

11.22" / 285mm

10.15" / 258mm

8"

0.5"

5.31" / 135mm

45Hz - 20KHz

Single



NV-2|W6

8.66" x 11.81" / 220mm x 300mm

7.6" x 10.79" / 194mm x 274mm

6.5"

0.5"

3.27" / 83mm

60Hz - 20KHz

Pair



NV-2IW5-LCR
7.48" x 15.35" / 190mm x 390mm
6.41" x 14.3" / 163mm x 363mm
5.25"
0.5"
3.35" / 85mm
65Hz - 20KHz
Single



NV-4IC8 10.63" / 270mm 9.68" / 246mm 8" 0.75" 4.41" / 112mm 40Hz - 20KHz Pair



NV-4IC8-ANG

11.22" / 285mm

10.15" / 258mm

8"

0.75"

5.55" / 141mm

40Hz - 20KHz

Single



8.66" x 11.81" / 220mm x 300mm 7.6" x 10.79" / 194mm x 274mm 6.5" 0.75" 3.27" / 83mm 55Hz - 20KHz Pair

NV-4IW6



NV-4IW5-LCR
7.48" x 15.35" / 190mm x 390mm
6.41" x 14.3" / 163mm x 363mm
5.25"
0.5"
3.35" / 85mm
60Hz - 20KHz
Single



NV-6IC8 10.63" / 270mm 9.68" / 246mm 8" 1" 4.41" / 112mm 35Hz - 20KHz Pair



NV-6IC8-ANG 11.22" / 285mm 10.15" / 258mm 8" 1" 5.55" / 141mm 35Hz - 20KHz Single



NV-6IW6

8.66" x 11.81" / 220mm x 300mm

7.6" x 10.79" / 194mm x 274mm

6.5"

1"

3.27" / 83mm

50Hz - 20KHz

Pair



NV-6IW6-LCR 8.66" x 17.71" / 220mm / 450mm 7.6" x 16.65" / 193mm x 423mm 6.5" 1" XXX 45Hz - 20KHz Single



3015 Kustom Drive Hebron, KY 41048 United States 844.334.8044 www.legrand.us